



Arthroscopic Cannulas

Shoulder Brochure




ArthroX® 

PassPort Button™ Cannula

The PassPort cannula system offers a low-profile and flexible design to help maximize arthroscopic visibility and maneuverability.

- Silicone material forms to small portal incisions to protect soft tissue
- Double dam minimizes fluid leakage and prevents squirting
- Dual flange ends seat flush to skin and soft tissue, preventing cannula advancement or pullout




Passport Button Cannula

| Product Description | Item Number |
|---|----------------|
| 6 mm ID × 2 cm | AR-6592-06-20 |
| 6 mm ID × 3 cm | AR-6592-06-30 |
| 6 mm ID × 4 cm | AR-6592-06-40 |
| 6 mm ID × 5 cm | AR-6592-06-50 |
| 8 mm ID × 2 cm | AR-6592-08-20 |
| 8 mm ID × 3 cm | AR-6592-08-30 |
| 8 mm ID × 3 cm, w/ auxiliary lumen, 1/box | AR-6592-08-30A |
| 8 mm ID × 4 cm | AR-6592-08-40 |
| 8 mm ID × 4 cm, w/ auxiliary lumen, 1/box | AR-6592-08-40A |
| 8 mm ID × 5 cm | AR-6592-08-50 |
| 8 mm ID × 5 cm, w/ auxiliary lumen, 1/box | AR-6592-08-50A |
| 8 mm ID × 6 cm | AR-6592-08-60 |

| | |
|--------------------------|---------------|
| 10 mm ID × 2 cm | AR-6592-10-20 |
| 10 mm ID × 3 cm | AR-6592-10-30 |
| 10 mm ID × 4 cm | AR-6592-10-40 |
| 10 mm ID × 5 cm | AR-6592-10-50 |
| 12 mm ID × 3 cm, 1/box | AR-6592-12-30 |
| 12 mm ID × 4 cm, 1/box | AR-6592-12-40 |
| 12 mm ID × 5 cm, 1/box | AR-6592-12-50 |
| Divider, 12 mm, 1/box | AR-6592-12D |
| PassPort Hemostat | AR-6592 |
| PassPort Selection Guide | AR-6592M |
| PassPort Inserter, 8 mm | AR-6592-08PI |
| PassPort Inserter, 10 mm | AR-6592-10PI |
| PassPort Inserter, 12 mm | AR-6592-12PI |



Extensive size range for a complete system



PassPort divider creates divided channels to aid in suture management (compatible with the 12 mm diameter only)




Optional auxiliary lumen provides additional channel for NanoScope™ instruments or suture management



Easily introduced using the PassPort inserter or a curved hemostat

Gemini™ SR8 Cannula

The expandable Gemini SR8 cannula is ideal for joint access while using instruments during Bankart, SLAP, and rotator cuff repairs.




Gemini SR8 Cannula

| Product Description | Item Number |
|----------------------------------|-------------|
| Gemini Cannula, 8.25 mm × 9 cm | AR-6572 |
| Switching Stick, 2.6 mm × 305 mm | AR-6572S |

Expanula™ Cannula

The Expanula cannula makes arthroscopic rotator cuff repair easier by increasing the workspace and view of the subacromial space.

- 28 mm diameter expanding distal fan collar creates a stable portal, preventing cannula loss, and can be used to retract the deltoid
- Includes a "no-squirt" cap



Expanula Cannula

| Product Description | Item Number |
|---------------------------------------|-------------|
| Expanula Cannula, 8.25 mm ID × 7.5 cm | AR-6569 |

Twist-In™ Cannula

The translucent Twist-In cannula allows direct arthroscopic visualization of instruments and sutures passing through the cannula.

- Translucent polycarbonate material
- Available in threaded, partially threaded, or instrument style options in sizes ranging from 5.5 to 8.25 mm in diameter and 7 to 9 mm in length.
- Flexible option easily conforms to large or curved instruments
- Includes “no-squirt” cap




Twist-In™ Cannula

| Product Description | Item Number |
|--|-------------|
| Twist-In Cannula, 8.25 mm ID × 7 cm, notched | AR-6530N |
| Twist-In Cannula, 8.25 mm ID × 7 cm | AR-6530 |
| Twist-In Cannula, 8.25 mm ID × 9 cm | AR-6540 |
| Partially Threaded Cannula, 8.25 mm ID × 7 cm | AR-6566 |
| Partially Threaded Cannula, 8.25 mm ID × 9 cm | AR-6575-09 |
| Partially Threaded Cannula, 8.25 mm ID × 11 cm | AR-6575-11 |
| Twist-In Cannula, 7 mm ID × 7 cm | AR-6570 |
| Twist-In Cannula, 7 mm ID × 7 cm, flexible | AR-6570F |
| Partially Threaded Cannula, 7 mm ID × 7 cm | AR-6567 |
| Instrument Cannula, 7 mm ID × 7 cm | AR-6550 |
| Twist-In Cannula, 6 mm ID × 7 cm | AR-6535 |
| Twist-In Cannula, 6 mm ID × 9 cm | AR-6545 |
| Instrument Cannula, 5.5 mm ID × 9 cm | AR-6532 |

Triple-Dam Twist-In™ Cannula

The Triple-Dam cannula is an adaptation of the original Twist-In cannulas with the same working lengths and inner diameters.

- Side inflow/outflow port with a luer lock connection and valve switch to control fluid flow




Triple-Dam Twist-In Cannula

| Product Description | Item Number |
|---|-------------|
| Triple-Dam Twist-In Cannula, 8.25 mm ID × 7 cm | AR-6530TD |
| Triple-Dam Twist-In Cannula, 7 mm ID × 7 cm | AR-6570TD |
| Triple-Dam Twist-In Cannula, 7 mm ID × 7 cm, no valve | AR-6570TDNV |
| Triple-Dam Instrument Cannula, 7 mm ID × 7 cm | AR-6550TD |
| Triple-Dam Twist-In Cannula, 6 mm ID × 7 cm | AR-6535TD |
| Cannula Accessories | |
| Reusable Obturator for AR-6530, AR-6530N, AR-6566 Twist-In Cannula | AR-6531 |
| Reusable Obturator for AR-6535 Twist-In Cannula | AR-6536 |
| Reusable Obturator for AR-6540, AR-6575-09 Twist-In Cannula | AR-6541 |
| Reusable Obturator for AR-6545 Twist-In Cannula | AR-6546 |
| Reusable Obturator for AR-6550, AR-6567, AR-6570, AR-6570F Twist-In Cannula | AR-6549 |
| Reusable Obturator for AR-6560, AR-6562, AR-6564, AR-6560F Instrument Cannula | AR-6563 |
| Wissinger Rod, 4 mm × 12.7 in | AR-3025 |
| Extra Long Switching Stick, 4 mm × 12 in | AR-3026 |
| Switching Stick Inserter | AR-3027 |
| Portal Dilatation Set (4 mm, 6 mm, and 8 mm dilators) | AR-6520 |
| 1.5 mm Pins for AR-6520, qty. 5 | AR-6521 |

Crystal Cannula® Cannulas

The Crystal Cannula cannulas offer a unique barrel-shaped retention bowl that pools fluid to eliminate cannula “squirt.”

- Three atraumatic distal retaining options to prevent cannula “fall-out”
- Available flexible option easily conforms to curved instruments




Crystal Cannula Cannulas

| Product Description | Item Number |
|--|-------------|
| 5.75 mm ID × 7 cm, distal ring | AR-6560 |
| 5.75 mm ID × 7 cm, smooth | AR-6562 |
| 5.75 mm ID × 7 cm, partially threaded | AR-6564 |
| 5.75 mm ID × 7 cm, flexible, distal ring | AR-6560F |
| 5.75 mm ID × 5 cm, partially threaded, short | AR-6568 |

Low-Profile 5 mm Cannula

The low-profile 5 mm cannula is the lowest profile clear cannula on the market that allows direct visualization of instruments and suture passing.




Low-Profile 5 mm Cannula

| Product Description | Item Number |
|---------------------|-------------|
| 5 mm ID × 7 cm | AR-6548 |

Shoehorn Cannula

The shoehorn cannula is designed to allow cannula placement through a minimal skin incision.



Shoehorn Cannula

| Product Description | Item Number |
|----------------------------------|-------------|
| Shoehorn Cannula, 6 mm ID × 9 cm | AR-6565 |



This description of technique is provided as an educational tool and clinical aid to assist properly licensed medical professionals in the usage of specific Arthrex products. As part of this professional usage, the medical professional must use their professional judgment in making any final determinations in product usage and technique. In doing so, the medical professional should rely on their own training and experience, and should conduct a thorough review of pertinent medical literature and the product's directions for use. Postoperative management is patient-specific and dependent on the treating professional's assessment. Individual results will vary and not all patients will experience the same postoperative activity level and/or outcomes.

View U.S. patent information at www.arthrex.com/corporate/virtual-patent-marking

arthrex.com

© 2022-12 Arthrex, Inc. All rights reserved. LB1-000387-en-US_A